

Report Parameters:**Report Period:** From 01/01/2016 to 12/31/2016**Selected Coded Field:** Basic: Incident Type**State:** UT**Version:** All**Status:** All**Released:** All**Report Filters:****NOTE: Report Filter Groups are applied to the report SQL as "AND" conditions (i.e. Group 1 AND Group2 and Group 3 etc...)**

Report FDIDs*: 49018, 49019, 49016, 49017, 49011, 49010, 09003, 21008, 49015, 21007, 49014, 49013, 09002, 21009, 49012, 21004, 59201, 21003, 21006, 21005, 21002, 21001, 15007, 15006, 15005, 15004, 15009, 15008, 49005, 49007, 49009, 47002, 47004, 47003, 47006, 47005, 47008, 49002, 47007, 49001, 49004, 49003, 15002, 15003, 15001, 53007, 53006, 53009, 53008, 53003, 53002, 29002, 53005, 53004, 23010, 29003, 25012, 25011, 25010, 53019, 53018, 53017, 25003, 25004, 53015, 25005, 53014, 25006, 53013, 25007, 49027, 53012, 53011, 25009, 53010, 23002, 49024, 23001, 23004, 31001, 23003, 49025, 31002, 23006, 49020, 31003, 23005, 31004, 25002, 23008, 49022, 25001, 23007, 49021, 23009, 59301, 59101, 05020, 13001, 13009, 13008, 13006, 13005, 13004, 13002, 13010, 41006, 41007, 41009, 05002, 05003, 41002, 41003, 41004, 05009, 05006, 05008, 05007, 41010, 05014, 05012, 05013, 05011, 41012, 05019, 05018, 05016, 51002, 51003, 51001, 37004, 51006, 59009, 37005, 51007, 59008, 37006, 51004, 37007, 11010, 51005, 37008, 59005, 37009, 59004, 51008, 59007, 51009, 59006, 11015, 59001, 19004, 59002, 59003, 37001, 19002, 19003, 37003, 11014, 37002, 11013, 11019, 51010, 51011, 51012, 51013, 51014, 51015, 51016, 51017, 51018, 51019, 37010, 03021, 11006, 03022, 43006, 43003, 11004, 11003, 43001, 37012, 11001, 37011, 03020, 43009, 11009, 43007, 11008, 59401, 45011, 45010, 51020, 35010, 35011, 35012, 35014, 55008, 35013, 35016, 35015, 27014, 45016, 55004, 27015, 55005, 45018, 55006, 27013, 55007, 27010, 27011, 55001, 45014, 55002, 45015, 55003, 27006, 27005, 27008, 27007, 35001, 11020, 35009, 35008, 35007, 35006, 35005, 35004, 35003, 45009, 35002, 33005, 27001, 33004, 27002, 45008, 27003, 45005, 33006, 27004, 45006, 33001, 33002, 45002, 07002, 07001, 39001, 39003, 07006, 39002, 07005, 39005, 01010, 39004, 07003, 53022, 53023, 53020, 53021, 53026, 53024, 53025, 39006, 39007, 39008, 07007, 39009, 07008, 39012, 39010, 39016, 39015, 39014, 39013, 01004, 01003, 01001, 03016, 17011, 03017, 17012, 03014, 03015, 17010, 57010, 03018, 17013, 57011, 57012, 57014, 57013, 03013, 03011, 03003, 03004, 17001, 03007, 17002, 03008, 17003, 03009, 17004, 17005, 17007, 57005, 57004, 17009, 17008, 57009, 03002, 57007

*Data from deactivated fire depts within the list was not included in the report.

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
100	Fire, other	411	0.28 %	5	0	0.00 %	2	1.83 %	0	0.00 %	0	0.00 %	639,060	1.59 %	115,060	0.82 %	754,120	1.39 %
110	Structure fire, other (conversion only)	0	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
111	Building fires	898	0.62 %	29	5	27.78 %	39	35.78 %	0	0.00 %	14	82.35 %	28,872,807	71.95 %	11,601,912	82.67 %	40,474,719	74.73 %
112	Fires in structures other than in a building	74	0.05 %	3	0	0.00 %	4	3.67 %	0	0.00 %	0	0.00 %	745,930	1.86 %	380,022	2.71 %	1,125,952	2.08 %
113	Cooking fire, confined to container	437	0.30 %	0	0	0.00 %	1	0.92 %	0	0.00 %	0	0.00 %	45,894	0.11 %	54,178	0.39 %	100,072	0.18 %
114	Chimney or flue fire, confined to chimney or flue	50	0.03 %	0	0	0.00 %	1	0.92 %	0	0.00 %	0	0.00 %	7,300	0.02 %	2,000	0.01 %	9,300	0.02 %
115	Incinerator overload or malfunction, fire confined	4	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5,000	0.01 %	15,000	0.11 %	20,000	0.04 %
116	Fuel burner/boiler malfunction, fire confined	14	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5,500	0.01 %	50	0.00 %	5,550	0.01 %
117	Commercial Compactor fire, confined to rubbish	5	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
118	Trash or rubbish fire, contained	236	0.16 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	3,638	0.01 %	9,239	0.07 %	12,877	0.02 %
120	Fire in mobile prop. used as a fixed struc., other	6	0.00 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5,700	0.01 %	60,000	0.43 %	65,700	0.12 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
121	Fire in mobile home used as fixed residence	24	0.02 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	130,800	0.33 %	49,810	0.35 %	180,610	0.33 %
122	Fire in motor home, camper, recreational vehicle	29	0.02 %	3	0	0.00 %	3	2.75 %	0	0.00 %	0	0.00 %	700,800	1.75 %	58,125	0.41 %	758,925	1.40 %
123	Fire in portable building, fixed location	6	0.00 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	39,500	0.10 %	15,000	0.11 %	54,500	0.10 %
130	Mobile property (vehicle) fire, other	107	0.07 %	4	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	217,050	0.54 %	39,800	0.28 %	256,850	0.47 %
131	Passenger vehicle fire	681	0.47 %	10	3	16.67 %	4	3.67 %	0	0.00 %	1	5.88 %	2,285,056	5.69 %	344,155	2.45 %	2,629,211	4.85 %
132	Road freight or transport vehicle fire	117	0.08 %	2	1	5.56 %	0	0.00 %	0	0.00 %	0	0.00 %	1,660,200	4.14 %	525,050	3.74 %	2,185,250	4.03 %
133	Rail vehicle fire	7	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	35,000	0.09 %	10,000	0.07 %	45,000	0.08 %
134	Water vehicle fire	7	0.00 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	21,000	0.05 %	1,201	0.01 %	22,201	0.04 %
135	Aircraft fire	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	0	0.00 %	1,000	0.00 %
136	Self-propelled motor home or recreational vehicle	2	0.00 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	500	0.00 %	0	0.00 %	500	0.00 %
137	Camper or recreational vehicle (RV) fire	27	0.02 %	2	0	0.00 %	5	4.59 %	0	0.00 %	0	0.00 %	72,700	0.18 %	73,200	0.52 %	145,900	0.27 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
138	Off-road vehicle or heavy equipment fire	21	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,200,700	2.99 %	30,000	0.21 %	1,230,700	2.27 %
140	Natural vegetation fire, other	183	0.13 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	15,410	0.04 %	250	0.00 %	15,660	0.03 %
141	Forest, woods or wildland fire	119	0.08 %	7	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	203	0.00 %	3	0.00 %	206	0.00 %
142	Brush, or brush and grass mixture fire	659	0.45 %	5	0	0.00 %	1	0.92 %	0	0.00 %	0	0.00 %	380,253	0.95 %	43,763	0.31 %	424,016	0.78 %
143	Grass fire	613	0.42 %	1	0	0.00 %	1	0.92 %	0	0.00 %	0	0.00 %	70,236	0.18 %	3,520	0.03 %	73,756	0.14 %
150	Outside rubbish fire, other	268	0.18 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	9,450	0.02 %	2,560	0.02 %	12,010	0.02 %
151	Outside rubbish, trash or waste fire	450	0.31 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	38,657	0.10 %	7,162	0.05 %	45,819	0.08 %
152	Garbage dump or sanitary landfill fire	8	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
153	Construction or demolition landfill fire	10	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
154	Dumpster or other outside trash receptacle fire	291	0.20 %	2	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	74,450	0.19 %	4,401	0.03 %	78,851	0.15 %
155	Outside stationary compactor/compacted trash fire	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
160	Special outside fire, other	140	0.10 %	10	0	0.00 %	1	0.92 %	0	0.00 %	0	0.00 %	30,070	0.07 %	310	0.00 %	30,380	0.06 %
161	Outside storage fire	33	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	65,400	0.16 %	46,650	0.33 %	112,050	0.21 %
162	Outside equipment fire	52	0.04 %	2	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	725,700	1.81 %	61,000	0.43 %	786,700	1.45 %
163	Outside gas or vapor combustion explosion	7	0.00 %	0	0	0.00 %	1	0.92 %	0	0.00 %	0	0.00 %	5,100	0.01 %	0	0.00 %	5,100	0.01 %
164	Outside mailbox fire	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	100	0.00 %	200	0.00 %	300	0.00 %
170	Cultivated vegetation, crop fire, other	17	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	250,000	0.62 %	265,000	1.89 %	515,000	0.95 %
171	Cultivated grain or crop fire	23	0.02 %	2	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	26,100	0.07 %	19,600	0.14 %	45,700	0.08 %
172	Cultivated orchard or vineyard fire	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
173	Cultivated trees or nursery stock fire	4	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
200	Overpressure rupture, explosion, overhear other	28	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	0	0.00 %	1,000	0.00 %
210	Overpressure rupture from steam, other	5	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
211	Overpressure rupture of steam pipe or pipeline	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
212	Overpressure rupture of steam boiler	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
220	Overpressure rupture from air or gas, other	5	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
221	Overpressure rupture of air or gas pipe/pipeline	23	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	300	0.00 %	300	0.00 %	600	0.00 %
222	Overpressure rupture of boiler from air or gas	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
223	Air or gas rupture of pressure or process vessel	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
231	Chemical reaction rupture of process vessel	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
240	Explosion (no fire), other	16	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
242	Blasting agent explosion (no fire)	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
243	Fireworks explosion (no fire)	15	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	0	0.00 %	1,000	0.00 %
244	Dust explosion (no fire)	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
251	Excessive heat, scorch burns with no ignition	96	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	4,000	0.01 %	20,500	0.15 %	24,500	0.05 %
300	Rescue, emergency medical call (EMS) call, other	2,021	1.39 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	10,000	0.02 %	2,500	0.02 %	12,500	0.02 %
311	Medical assist, assist EMS crew	6,953	4.78 %	0	0	0.00 %	1	0.92 %	0	0.00 %	0	0.00 %	15,000	0.04 %	0	0.00 %	15,000	0.03 %
320	Emergency medical service, other	5,684	3.90 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
321	EMS call, excluding vehicle accident with injury	67,564	46.41 %	0	1	5.56 %	0	0.00 %	0	0.00 %	1	5.88 %	5,500	0.01 %	1,000	0.01 %	6,500	0.01 %
322	Vehicle accident with injuries	6,682	4.59 %	0	4	22.22 %	31	28.44 %	0	0.00 %	1	5.88 %	171,100	0.43 %	1,000	0.01 %	172,100	0.32 %
323	Motor vehicle/pedestrian accident (MV Ped)	446	0.31 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
324	Motor vehicle accident with no injuries	2,300	1.58 %	0	0	0.00 %	1	0.92 %	0	0.00 %	0	0.00 %	148,000	0.37 %	50,000	0.36 %	198,000	0.37 %
331	Lock-in (if lock out , use 511)	190	0.13 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
340	Search, other	18	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
341	Search for person on land	35	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
342	Search for person in water	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
350	Extrication, rescue, other	53	0.04 %	0	1	5.56 %	1	0.92 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
351	Extrication of victim(s) from building/structure	12	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
352	Extrication of victim(s) from vehicle	127	0.09 %	0	2	11.11 %	10	9.17 %	0	0.00 %	0	0.00 %	273,000	0.68 %	2,000	0.01 %	275,000	0.51 %
353	Removal of victim(s) from stalled elevator	216	0.15 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
354	Trench/below grade rescue	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
355	Confined space rescue	5	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
356	High angle rescue	11	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
357	Extrication of victim(s) from machinery	5	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
360	Water & ice related rescue, other	9	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
361	Swimming/recreational water areas rescue	6	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
362	Ice rescue	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
363	Swift water rescue	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
365	Watercraft rescue	4	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
370	Electrical rescue, other	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
371	Electrocution or potential electrocution	9	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
372	Trapped by power lines	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
381	Rescue or EMS standby	314	0.22 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
400	Hazardous condition, other	226	0.16 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
410	Flammable gas or liquid condition, other	84	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
411	Gasoline or other flammable liquid spill	333	0.23 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	160,500	0.40 %	50,313	0.36 %	210,813	0.39 %
412	Gas leak (natural gas or LPG)	1,221	0.84 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	0	0.00 %	1,000	0.00 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
413	Oil or other combustible liquid spill	107	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	200,000	0.50 %	0	0.00 %	200,000	0.37 %
420	Toxic condition, other	20	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
421	Chemical hazard (no spill or leak)	33	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
422	Chemical spill or leak	81	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
423	Refrigeration leak	5	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
424	Carbon monoxide incident	618	0.42 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
430	Radioactive condition, other	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
431	Radiation leak, radioactive material	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
440	Electrical wiring/equipment problem, other	266	0.18 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	18,320	0.05 %	13,050	0.09 %	31,370	0.06 %
441	Heat from short circuit (wiring), defective/worn	39	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,025	0.00 %	525	0.00 %	1,550	0.00 %
442	Overheated motor	93	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	1,000	0.01 %	2,000	0.00 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
443	Light ballast breakdown	22	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
444	Power line down	624	0.43 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5,300	0.01 %	800	0.01 %	6,100	0.01 %
445	Arcing, shorted electrical equipment	286	0.20 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	11,165	0.03 %	0	0.00 %	11,165	0.02 %
451	Biological hazard, confirmed or suspected	13	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
460	Accident, potential accident, other	34	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
461	Building or structure weakened or collapsed	17	0.01 %	0	0	0.00 %	1	0.92 %	0	0.00 %	0	0.00 %	18,000	0.04 %	2,000	0.01 %	20,000	0.04 %
462	Aircraft standby	627	0.43 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
463	Vehicle accident, general cleanup	547	0.38 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	22,000	0.05 %	0	0.00 %	22,000	0.04 %
471	Explosive, bomb removal (for bomb scare, use 721)	26	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
480	Attempted burning, illegal action, other	57	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	150	0.00 %	0	0.00 %	150	0.00 %
481	Attempt to burn	10	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
482	Threat to burn	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
500	Service Call, other	503	0.35 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	20	0.00 %	0	0.00 %	20	0.00 %
510	Person in distress, other	261	0.18 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
511	Lock-out	469	0.32 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	500	0.00 %	0	0.00 %	500	0.00 %
512	Ring or jewelry removal	7	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
520	Water problem, other	574	0.39 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	500	0.00 %	1,000	0.01 %	1,500	0.00 %
521	Water evacuation	37	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
522	Water or steam leak	376	0.26 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	91,000	0.23 %	6,000	0.04 %	97,000	0.18 %
531	Smoke or odor removal	567	0.39 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	850	0.00 %	500	0.00 %	1,350	0.00 %
540	Animal problem, other	13	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
541	Animal problem	13	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
542	Animal rescue	153	0.11 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
550	Public service assistance, other	753	0.52 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
551	Assist police or other governmental agency	772	0.53 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
552	Police matter	222	0.15 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
553	Public service	416	0.29 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
554	Assist invalid	1,314	0.90 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
555	Defective elevator, no occupants	26	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
561	Unauthorized burning	479	0.33 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	50	0.00 %	0	0.00 %	50	0.00 %
571	Cover assignment, standby, moveup	267	0.18 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
600	Good intent call, other	1,378	0.95 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
611	Dispatched & canceled en route	16,833	11.56 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	200	0.00 %	0	0.00 %	200	0.00 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
621	Wrong location	24	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
622	No incident found at dispatch address	659	0.45 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
631	Authorized controlled burning	225	0.15 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	8,000	0.02 %	0	0.00 %	8,000	0.01 %
632	Prescribed fire	15	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
641	Vicinity alarm (incident in other location)	18	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
650	Steam, other gas mistaken for smoke, other	90	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
651	Smoke scare, odor of smoke	1,015	0.70 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,270	0.00 %	2,000	0.01 %	3,270	0.01 %
652	Steam, vapor, fog or dust thought to be smoke	139	0.10 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	0	0.00 %	1,000	0.00 %
653	Barbecue, tar kettle	62	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	150	0.00 %	0	0.00 %	150	0.00 %
661	EMS call, party transported by non-fire agency	134	0.09 %	0	1	5.56 %	1	0.92 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
671	Hazmat release investigation w/ no hazmat	253	0.17 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
672	Biological hazard, none found	5	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
700	False alarm or false call, other	3,213	2.21 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
710	Malicious, mischievous false call, other	103	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
711	Municipal alarm system, malicious false alarm	56	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
712	Direct tie to FD, malicious/false alarm	5	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
713	Telephone, malicious false alarm	14	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	30,000	0.07 %	20,000	0.14 %	50,000	0.09 %
714	Central station, malicious false alarm	21	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
715	Local alarm system, malicious false alarm	94	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
721	Bomb scare - no bomb	124	0.09 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
730	System malfunction, other	299	0.21 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
731	Sprinkler activation due to malfunction	101	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	10,000	0.02 %	1,000	0.01 %	11,000	0.02 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
732	Extinguishing system activation due to malfunction	22	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
733	Smoke detector activation due to malfunction	875	0.60 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
734	Heat detector activation due to malfunction	51	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
735	Alarm system sounded due to malfunction	1,207	0.83 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
736	CO detector activation due to malfunction	776	0.53 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
740	Unintentional transmission of alarm, other	524	0.36 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
741	Sprinkler activation, no fire - unintentional	127	0.09 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	4,000	0.01 %	2,000	0.01 %	6,000	0.01 %
742	Extinguishing system activation	17	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	50,000	0.12 %	10,000	0.07 %	60,000	0.11 %
743	Smoke detector activation, no fire - unintentional	1,397	0.96 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	100	0.00 %	100	0.00 %
744	Detector activation, no fire - unintentional	577	0.40 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
745	Alarm system sounded, no fire - unintentional	2,565	1.76 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

Tally

Selected Coded Field: Basic: Incident Type

Report Period: From 01/01/2016 to 12/31/2016

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
746	Carbon monoxide detector activation, no CO	582	0.40 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
751	Biological hazard, malicious false report	4	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
800	Severe weather or natural disaster, other	16	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
811	Earthquake assessment	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
812	Flood assessment	68	0.05 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
813	Wind storm, tornado/hurricane assessment	23	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	480,000	1.20 %	7,500	0.05 %	487,500	0.90 %
814	Lightning strike (no fire)	23	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
815	Severe weather or natural disaster standby	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
900	Special type of incident, other	151	0.10 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
911	Citizen complaint	160	0.11 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

